



# DCD

HIGHER-LUMEN MODULAR DOWNLIGHTING





# Performance. Flexibility. And your job, made simpler.

The DCD Series brings together robust lighting capability and a highly modular system that radically simplifies configuration in the field. With just one housing type, you can change optics, lumen outputs, or switch to an adjustable.

DMF understands the unique challenges of commercial lighting, so not only does the DCD Series provide exceptional higher-lumen illumination for a variety of applications, but it's also easy to order, install, and maintain.

We're also innovating to serve you better by drastically improving product availability and delivering at a price point that others can't match. All this adds up to one thing: brilliant results.

# Radically simplify configuration in the field



## One housing, many choices

The DCD Series is flexible enough to illuminate your whole project with a broad range of light and aesthetics options, all with just one housing. Select from either a General or Adjustable module, and pair it with a beautifully finished trim to create exactly the results you're looking for. The DCD Series makes it all simple with precision-crafted, inter-operable components.



### GENERAL DOWNLIGHTING

Efficiently illuminate higher ceiling applications with 90+ CRI lighting by utilizing DCD3 with a Flood or Wide Flood optic and any trim.



### WALL WASH

Evenly highlight smooth walls or accent textured surfaces by combining DCD3 with a Wall Wash trim.



### ACCENT LIGHTING

Narrow Spot, Spot, and Narrow Flood optics for DCD3, along with a Pinhole trim, offer different options for accentuating objects and furniture.



### DIRECTIONAL LIGHTING

The adjustable DCD4 allows for 360° of aimable lighting in five different beam angles.

## Change of plans? No problem.


If you can't decide on color temperature, or pick between a downlight or an adjustable, now you don't have to choose. A single DCD housing can tackle your whole project with a wide range of options that you can change on the fly.

DMF understands that conditions on a project can change. A new paint color or material can have drastic effects on your lighting.


**“You can basically hold the whole system in your hands, and once you put it in the ceiling, you don't ever need to touch a live wire.”**



# Options that create simplicity



# DCD Frame



NEW CONSTRUCTION

## A strong foundation

Lesser housings can sag, leading to fixture movement below the ceiling and light leak. Having a strong and stable housing makes adjustable module movements perfect, where aim stays steady. Specially-designed, galvanized-steel bar hangers ensure that the complete luminaire acts as a perfect single unit.




REMODEL

## Flexibility at every stage

Start with this housing. Later, you can decide to install general downlights or adjustables. And even after installation, you can still switch to accents or wall washes and change beam angles.

## Small size, huge difference

Competitors use a big, heavy black box to control light leaks. The DCD's module mounted light shield is far smaller and far lighter, taking up a fraction of the volume of a traditional can. This makes our lighting vastly easier to design and install.





# DCD Modules

## A perfect balance

Our modules are brilliantly crafted for performance, flexibility, and efficiency. They feature an integrated driver that's easily replaceable, giving you the perfect combination of simplicity and utility. Built for fast installation and ease of use, even for general labor. Both modules are the center point of our highly modular system, allowing you to switch one out for the other, change lumens, or beam angles, all while keeping labor cost low.



# DCD3

Higher-Lumen Fixed Downlight



## All-around excellence

The DCD3 delivers up to 3000 lm of superior lighting at 90+ CRI, perfect for higher ceiling applications. Its tool-free, field-changeable lenses and trims offer endless lighting customization, allowing you to easily change how your spaces feel and perform with minimal labor. Whether you’re lighting a concert hall or a corridor, the DCD3 gives you impressive versatility that’s incredibly simple to use.



Application	New Construction, Remodel
Aperture	4" Commercial
Delivered Lumens	1500 lm (20W) / 2000 lm (28W) / 2500 lm (37W) / 3000 lm (40W)
Color Quality	90+ CRI, 2-step SDCM
Color Temperature	<div><div>2700K</div><div>3000K</div><div>3500K</div><div>4000K</div></div>
Dimming	0-10V, Lutron EcoSystem
Beam Spread	<div><div>NS (15°)</div><div>S (25°)</div><div>F (40°)</div><div>WF (60°)</div></div>
Trims	Standard Round Beveled, Hyperbolic, Pinhole, Low Profile, Wall Wash, Decorative, Flangeless, Emergency
Trim Finish	White, Black, Clear Diffuse, Warm Diffuse, Black w/ White Flange, Clear Diffuse w/ White Flange, Warm Diffuse w/ White Flange, Custom
Ratings	<div><div></div>UL Listed for Wet Location</div>
Emergency	Optional Emergency LED Driver for lighting up to 90 minutes in event of power failure
Guarantee	50,000 hrs / 5 years

Standards

ENERGY STAR

cULus  
LISTED

Declare.

# DCD4

Higher-Lumen Adjustable Downlight



## Aim higher

The DCD4 puts powerful lighting exactly where you want it with 360° of aimable rotation and up to 40° of tilt. Simply unlock a lever and knob to allow precise, infinite adjustments and then lock it back into place. The process is quick, simple, and 100% tool-free. And with field-changeable beam angles and lumen outputs, you can further customize your lighting, even after installation.



Application	New Construction, Remodel
Aperture	4" Commercial
Delivered Lumens	1500 lm (21W) / 2000 lm (37W) / 2500 lm (40W)
Color Quality	90+ CRI, 2-step SDCM
Color Temperature	<div><div>2700K</div><div>3000K</div><div>3500K</div><div>4000K</div></div>
Dimming	0-10V, Lutron EcoSystem
Beam Spread	<div><div>NS (15°)</div><div>S (25°)</div><div>F (40°)</div><div>WF (60°)</div></div>
Specialty Lens Options	<div><div>Hexcell Louver</div><div>Linear Spread</div></div>
Adjustment	360° directional aim, 40° tilt
Trims	Standard Round Beveled, Pinhole, Flangeless
Trim Finish	White, Black, Clear Diffuse, Warm Diffuse, Black w/ White Flange, Clear Diffuse w/ White Flange, Warm Diffuse w/ White Flange, Custom
Ratings	<div><div>UL Listed for Damp Location</div></div>
Emergency	Optional Emergency LED Driver for lighting up to 90 minutes in event of power failure
Guarantee	50,000 hrs / 5 years

Standards



Declare.



# DCD Trims



DMF has precision-crafted trims to meet every need, whether you want a diffused glow or a narrow spotlight, an eye-catching trim or one that disappears.



DCD3 Trims



Standard Round Beveled

Hyperbolic

Pinhole

Low Profile



Wall Wash

Emergency

Decorative: Open, Frosted

Decorative: Closed, Clear, Frosted Inside



Flangeless: Round

Flangeless: Hyperbolic

Flangeless: Pinhole

Flangeless: Wall Wash

DCD4 Trims




Round

Pinhole

Flangeless: Round

Flangeless: Pinhole



“Everything is so modular and plug & play, you don’t even need a screwdriver. All you need is a ladder to get up to the light.”



**“Some people look at lighting from the price side, some from quality, and others from performance. For us, we try and hit all three.”**

### Ease of correct install

- Single housing for the majority of projects
- Robust housing and tool-free adjustments above the ceiling ensure success below the ceiling
- Choose the light configuration you need: general downlight, wall wash, accent, and aimable lighting – change it on the fly if you need something different
- Material selection, engineering design, and aesthetic finish ensure long-lasting performance
- Field-changeable optics and driver for future upgrades and maintenance

## Availability + Consistent Pricing = Project Success

### Finish on time

Beyond making a great product, DMF is dedicated to making your project go right, and that starts with our dedication to availability. Our DCD Frame is available within **24 hours**, and our modules are available within **48 hours**. That means you’ll never be stuck at a critical point in your project, unable to finish because you’re waiting on lighting.

### ...and on budget

Another place where DMF is bringing innovation to construction is simplified pricing. One price for the housing and most trims and easy to remember adders for lumen outputs and specialty trims. Once you place an order, you can be confident in the pricing, even if the lighting design changes. Need to switch from a flood to a spot or from a round to a pinhole trim? It won’t cost you anything. Plus, the DCD allows you to control costs by choosing just what you need, instead of overpaying for flexibility down the road.



**1) Start with the DCD Frame** guaranteed in stock & ships in 24 hours



**2) Plan your lighting design** general, accent, directional, or wall wash



**3) Order modules and trims** ships in 48 hours



**4) Adapt to changing conditions** easily swap out modules, optics, and trims



**5) Consistent pricing throughout** no surprises



**6) Tool-free maintenance** all plug & play





**“How easy it is to swap out different products, how easy it is to maintain our products, and how reliable and durable our products are. This is how we make our products unique, and that’s how we make them standard.”**

DMF Lighting’s new commercial DCD Series achieves heights that we’ve never reached before. This innovative lighting family builds on what we’ve learned from decades of downlighting and from creating the award-winning OneFrame®.

Designed for higher ceilings and greater lumen outputs, the DCD Series provides superior lighting quality, more control, and more options.

Because our dedication to excellent lighting extends beyond the fixture, we’ve engineered improvements across the entire life-cycle, from design and delivery to installation and future needs.

Learn more at: [dmflighting.com](https://dmflighting.com)



## **dmf** Lighting®

1118 East 223rd Street,  
Carson, California 90745  
800.441.4422  
[info@dmflighting.com](mailto:info@dmflighting.com)  
[dmflighting.com](http://dmflighting.com)

© 2019 DMF Lighting. All Rights Reserved. Specifications subject to change without notice.  
May be covered by one or more issued U.S. patent or patents that may be issuing from pending U.S. patent applications.  
MDCDBRO V - 10.07.19

